

Farm Hazard Inspection Checklist

GENERAL INSPECTION FOR DAIRY FACILITIES

Completed By: _____ Date: _____

BUILDING/AREA: _____

Items	Hazard		Action		Notes
	Yes	No	Target Date	Corrected	
RECORDKEEPING					
Are occupational injuries and illnesses, except minor injuries requiring only first aid, recorded as required on the OSHA Form 300A log? Subpart C 1904.4-1904.36	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
Are employee training records kept and accessible for review by employees, as required by OSHA standards?	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
SAFETY AND HEALTH PROGRAM					
Is one person clearly responsible for the safety and health program?	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
<i>BSP: Do you have a working procedure to handle in-house employee complaints regarding safety and health?</i>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
MEDICAL SERVICES AND FIRST AID					
Is at least one employee on each shift currently qualified to render first aid?	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
Are emergency phone numbers posted?	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
Are fully supplied first aid kits easily accessible to each work area, periodically inspected and replenished as needed?	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
Is there an eye-wash station or sink available for quick drenching or flushing of the eyes and body in areas where corrosive liquids or materials are handled?	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
FIRE PROTECTION					
Are portable fire extinguishers provided in adequate number and type and mounted in readily accessible locations?	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
Are fire extinguishers recharged regularly with this noted on the inspection tag?	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
PERSONAL PROTECTIVE EQUIPMENT AND CLOTHING					
Has the employer determined whether hazards that require use of PPE (e.g., head, eye, face, hand, or foot protection) are present or are likely to be present?	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
Is protection against the effects of occupational noise provided when sound levels exceed those of the OSHA Noise Standard (1910.95).	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
GENERAL WORK ENVIRONMENT					
Are all worksites clean, sanitary and orderly? 1910.22	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	

Is metallic or conductive dust prevented from entering or accumulating on or around electrical enclosures or equipment?	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
Are the minimum of toilets and washing facilities provided and maintained in a clean and sanitary fashion?	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
WALKWAYS					
Is there safe clearance for walking in aisles where motorized or mechanical handling equipment is operating? 1910.22 (b)(1)	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
Are standard guardrails provided wherever aisle or walkway surfaces are elevated more than 48 inches above any adjacent floor or ground?	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
STAIRS AND STAIRWAYS					
Are standard stair rails or handrails on all stairways have at least 4 risers?	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
EXIT DOORS					
Are doors that are required to serve as exits designed and constructed so that the path of exit travel is obvious and direct?	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
PORTABLE LADDERS					
Are all ladders maintained in good condition, joints between steps and side rails tight, all hardware and fittings securely attached, and moveable parts operating freely without binding and undue play?	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
BSP: Have employees been trained on the proper use and set-up of portable ladders.	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
HAND TOOLS					
Are all tools and equipment (both company and employee-owned) used at the workplace in good condition?	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
BSP: Check pitchforks, brooms, barn scrapers,	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
Are storage locations identified for each tool?	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
Is a workplace requirement that hand tools are returned to the designated area.	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
PORTABLE (POWER OPERATED) TOOLS AND EQUIPMENT					
Are grinders, saws and similar equipment provided with appropriate safety guards?	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
Are power tools used with proper shields, guards, or attachments, as recommended by the manufacturer?	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
Are rotating or moving parts of equipment guarded to prevent physical contact?	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
Are all cord-connected, electrical operated tools and equipment effectively grounded or of the approved double insulated type?	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
Are effective guards in place over belts, pulleys, chains and sprockets on equipment such as concrete mixers, air compressors, etc.?	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
Are portable fans provided with full guards or screens having openings ½ inch or less?	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	

Is hoisting equipment available and used for lifting heavy objects, and are hoist ratings and characteristics appropriate for the task?	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
Are ground-fault circuit interrupters provided on all temporary electrical 15 and 20 ampere circuits used during periods of construction?	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
Are pneumatic and hydraulic hoses on power-operated tools checked regularly for deterioration or damage?	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
ABRASIVE WHEEL EQUIPMENT GRINDERS					
Is the work rest used and kept adjusted to within 1/8 inch of the wheel?	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
Is the adequate tongue on the top side of the grinder used and kept adjusted to within ¼ inch of the wheel?	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
Do side guards cover the spindle, nut and flange and 75% of the wheel diameter?	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
Are bench and pedestal grinders permanently mounted?	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
Are goggles or face shields always worn when grinding?	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
MACHINE GUARDING					
Can electric power to each machine be locked out for maintenance, repair or security?	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
Are the noncurrent-carrying metal parts of electrically operated machines bonded or grounded?	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
Are manually operated valves and switches controlling the operation of equipment and machines clearly identified and readily accessible?	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
Are all emergency stop buttons colored red?	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
Are all pulleys and belts within 7 feet of the floor or working level properly guarded?	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
Are all moving chains and gears properly guarded?	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
Are fan blades protected with a guard having openings no larger than ½ inch when operating within 7 feet of the floor?	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
LOCKOUT/TAGOUT					
Is all machinery of equipment capable of movement required to be de-energized or disengaged and blocked or locked out during cleaning, servicing, adjusting, or setting up operations?	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
Is the power disconnect for equipment does not also disconnect the electrical control circuit, are the appropriate electrical enclosures identified and is a means provided to ensure that the control circuit can also be disconnected and locked out?	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
Is the locking out of control circuits instead of locking out main power disconnects prohibited?	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
Are all equipment control valve handles provided with means for locking out?	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	

Does the lockout procedure require that stored energy (mechanical, hydraulic, air, etc.) be released or blocked before equipment is locked out for repairs?	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
Are appropriate employees provided with individually keyed personal safety locks?	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
Are employees required to keep personal control of their key(s) while they have safety locks in use?	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
Is it required that only the employee exposed to the hazard can place or remove the safety lock?	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
Is it required that employees check the safety of the lockout by attempting a startup after making sure no one is exposed?	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
Are employees instructed to always push the control circuit stop button prior to re-energizing the main power switch?	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
Is there a means provided to identify any or all employees who are working on locked-out equipment by their locks or accompanying tags?	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
When machine operations, configurations, or size require an operator to leave the control station and part of the machine could move it accidentally activated, is the part required to be separately locked out or blocked?	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
If equipment or lines cannot be shut down, locked out and tagged, is a safe job procedure established and rigidly followed?	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
WELDING, CUTTING, BRAZING					
Are precautions taken to prevent the mixture of air and oxygen with flammable gases, except at a burner or in a standard torch?	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
Are signs posted reading "DANGER, NO SMOKING, MATCHES OR OPEN LIGHTS," or the equivalent?	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
Are cylinders, cylinder valves, couplings, regulators, hoses, and apparatuses kept free of oily or greasy substances?	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
Is suitable fire extinguishing equipment available for immediate use?	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
Are fire watchers assigned when welding or cutting is performed in locations where a serious fire might develop?	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
Do eye protection, helmets, hand shields and goggles meet appropriate standards?	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
When working in confined spaces, are environmental monitoring tests done and means provided for quick removal or welders in case of an emergency?	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
COMPRESSORS AND COMPRESSED AIR					
Is the belt drive system totally enclosed to provide protection for the front, back, top and sides?	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
When compressed air is used to clean clothing are employees trained to reduce the pressure to less than 30 psi? 1910.242 (b)	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	

When compressed air is used for cleaning, do employees wear protective chip guarding and PPE?	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
COMPRESSORS/AIR RECEIVERS					
Are compressed air receivers periodically drained of moisture and oil?	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
POWERED INDUSTRIAL VEHICLES (PIV)– INCLUDES SKIDSTEERS AND FORKLIFTS					
Are employees properly trained in the use of the type of PIV that they operate?	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
Are only trained employees allowed to operate PIVs?	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
Is substantial overhead protective equipment provided on high lift rider equipment?	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
Are the required PIV rules posted and enforced?	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
Is directional lighting provided on each industrial truck that operates in area with less than 2 footcandles per square foot of general lighting?	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
Does each industrial truck have a warning horn, whistle, gong, or other device that can be clearly heard above normal noise in areas where it is operated?	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
Are brakes on each PIV capable of bringing the vehicle to a complete and safe stop when fully loaded?	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
Does the parking brake of the industrial truck (forklift) prevent the vehicle from moving when unattended?	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
Are industrial trucks (forklifts) that operate where flammable gases, vapors, combustible dust or ignitable fibers may be present approved for locations?	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
Are PIV with internal combustion engines that are operated in buildings or enclosed areas carefully checked to ensure that such operations do not cause harmful concentrations of dangerous gases or fumes?	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
Are safe distances maintained from the edges of elevated ramps and platforms?	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
Are employees prohibited from standing or passing under elevated portions of PIV, whether loaded or empty?	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
Are unauthorized employees prohibited from riding on PIV?	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
Are operators prohibited from driving up to anyone standing in front of a fixed object?	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
Are arms and legs kept inside the running lines of the PIV?	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
Are loads handled only within the rated capacity of the PIV?	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
Are PIVs in need of repair removed from service immediately?	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
Maintenance records>????	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
ENTERING CONFINED SPACES					

Are confined spaces thoroughly emptied of any corrosive or hazardous substances, such as caustics or acids, before entry?	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
Are all lines to a confined space that contain inert, toxic, flammables or corrosive materials valved off and blanked or disconnected and separated before entry?	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
Are all impellers, agitators or other moving parts and equipment inside confined spaces locked out if they present a hazard?	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
Is natural or mechanical ventilation provided prior to confined space entry?	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
Are appropriate atmosphere tests performed to check for oxygen deficiency, toxic substances and explosive concentrations in the confined space before entry?	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
Is adequate illumination provided for the work to be performed in the confined space?	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
Is the atmosphere inside the confined space frequently tested or continuously monitored during work?	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
Is there a trained and equipped standby employee positioned outside the confined space, whose sole responsibility is to watch the work in progress, sound an alarm if necessary and render assistance?	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
Is the standby employee appropriately trained and equipped to handle an emergency?	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
Are employees prohibited from entering the confined space without lifelines and respiratory equipment if there is any question as to the cause of the emergency?	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
Is approved respiratory equipment required if the atmosphere inside the confined space cannot be made acceptable?	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
Is all portable electrical equipment used inside confined spaces either grounded and insulated or equipped with ground fault protection?	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
Are compressed gas bottles forbidden inside the confined space?	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
Before gas welding or burning is started in a confined space, are hoses checked for leaks, torches lighted only outside the confined area and the confined area tested for an explosive atmosphere each time before a lighted torch is taken into the confined space?	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
If employees will be using oxygen-consuming equipment such as blowers, torches, furnaces, etc., in a confined space, is sufficient air provided to assure combustion without reducing the oxygen concentration of the atmosphere below 19.5 percent by volume?	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
Is each confined space checked for decaying vegetation or animal matter which may produce methane?	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	

Is the confined space checked for possible industrial waste which could contain toxic properties?	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
If the confined space is below ground and near areas where motor vehicles will be operating, is it possible for vehicle exhaust or carbon monoxide to enter the space?	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
ENVIRONMENTAL CONTROLS					
Are employees instructed in proper first aid and other emergency procedures?	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
Are employees aware of the hazards involved with the various chemicals they may be exposed to in their work environment, such as ammonia, chlorine, caustics?	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
Can a less harmful method or product be used?	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
Is employee exposure to welding fumes controlled by ventilation, use of respirators, exposure time limits, or other means?	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
If vehicles (skidsteers, tractors, forklifts) are used in buildings or enclosed areas, are the carbon monoxide (CO) levels kept below maximum acceptable concentration	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
Are outlets for water that is not suitable for drinking clearly identified? Non-potable water	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
FLAMMABLE AND COMBUSTIBLE MATERIALS					
Is liquid petroleum gas stored, handled and used in accordance with safe practices and standards?	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
Are liquefied petroleum storage tanks guarded to prevent damage from vehicles?	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
Are extinguishers free from obstructions or blockage?	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
Are safety cans used for dispensing flammable or combustible liquids at the point of use?	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
HAZARDOUS CHEMICAL EXPOSURE					
Are employees aware of the potential hazards and trained in safe handling practices for situations involving various chemical stored or used in the workplace such as acids, bases, caustics, etc.?	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
Are eye-wash fountains and safety showers provide in areas where corrosive chemicals are handled?	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
Are all containers, such as vats, storage tanks, etc.. labeled as to their contents, e.g., "CAUSTICS"	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
Are all employees required to use personal protective clothing and equipment when handling chemicals (gloves, eye protection, respirators, etc.)?	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
Is employee exposure to chemicals kept within acceptable levels? (Thinking gases here – manure, silo???)	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
Are chemical piping systems clearly marked as to their content?	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	

Where corrosive liquids are frequently handled in open containers or drawn from storage vessels or pipelines, are adequate means rapidly available for neutralizing or disposing of spills or overflows and performed properly and safely?	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
Are standard operating procedures established and are they being followed when clean up chemical spills?	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
Are respirators stored in a convenient, clean and sanitary location, and are they adequate for emergencies?	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
Are employees prohibited from eating in areas where hazardous chemicals are present?	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
Are there written standard operating procedures for the selection and use of respirators where needed?	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
If hazardous substances are used in your processes, do you have a medical or biological monitoring system in operation? BMP for formaldehyde used in footbaths.	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
Are you familiar with the threshold limit values or permissible exposure limits (PELS) of airborne contaminants and physical agents used in your workplace?	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
Do employees complain about dizziness, headaches, nausea, irritation, or other factors of discomfort when they use solvents or other chemicals?	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
Is there a dermatitis problem? Do employees complain about dryness, irritation, or sensitization of the skin? (e.g. reaction to latex gloves)	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
If internal combustion engines are used, is carbon monoxide levels kept within acceptable levels?	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
Is vacuuming used rather than blowing or sweeping dust whenever possible for cleanup?	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
Are materials that give off toxic, asphyxiant, suffocating, or anesthetic fumes stored in remote or isolated locations when not in use?	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
HAZARDOUS SUBSTANCES COMMUNICATION					
Is there a list of hazardous substances used in your workplace and an MSDS readily available for each hazardous substance used?	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
Is there a written hazard communication program dealing with MSDS, labeling and employee training?	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
Is each container for a hazardous substance (i.e., vats, bottles, storage tanks, etc.) labeled with product identity and a hazard warning (communication of the specific health hazards and physical hazards)?	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
Is there an employee training program for hazardous substances that includes:	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
· an explanation of what an MSDS is and how to use and obtain one;	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	

· MSDS contents for each hazardous substance or class of substance;	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
· explanation of "A Right to Know";	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
· identification of where an employee can see the written hazard communication program;	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
· location of physical and health hazards in particular work areas and the specific protective measures to be uses; and	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
· details of the hazard communication program, including how to use the labeling system and MSDSs.	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
Are employees trained in:	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
· how to recognize tasks that might result in occupational exposure;	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
· how to use work practice, engineering controls and PPE, and their limitations;	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
· how to obtain information on the types, selection, proper use, location, removal, handling, and decontamination and disposal of PPE; and	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
· who to contact and what to do in an emergency.	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	

ELECTRICAL

Are all employees required to report any obvious hazard to life or property in connection with electrical equipment or lines as soon as possible?	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
Are employees instructed to make preliminary inspections and/or appropriate tests to determine conditions before starting work on electrical equipment or lines?	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
When electrical equipment or line are to be serviced, maintained, or adjusted, are necessary switches opened, locked out or tagged whenever possible?	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
Are portable electrical tools and equipment grounded or of the double insulated type?	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
Do extension cords have a grounding conductor?	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
Are multiple plug adaptors prohibited?	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
Are ground-fault circuit (GFC) interrupters installed on each temporary 15 or 20 ampere, 120 volt alternating current (AC) circuit locations where construction, demolition, modifications, alterations, or excavations are being performed?	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
Are all temporary circuits protected by suitable disconnecting switches or plug connectors at the junction with permanent wiring?	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
Do you have electrical installations in hazardous dust or vapor areas? If so, do they meet National Electrical Code (NEC) for hazardous locations?	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
Are exposed wiring and cords with frayed or deteriorated insulation repaired or replaced promptly?	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
A flexible cords and cables free of splices or taps?	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	

Are clamps or other securing means provided on flexible cords or cables at plugs receptacles, tools, equipment, etc. , and is the cord jacket securely held in place?	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
Are all cord, cable and raceway connections intact and secure?	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
In wet or damp locations are electrical tools and equipment appropriate for the use or locations or otherwise protected?	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
Is the location of the electrical power lines and cables (overhead, underground, under floor, other side of walls, etc.) determined before digging, drilling or other similar work is begun?	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
Are metal measuring tapes, ropes, hand-lines or similar devices with metallic thread woven into the fabric prohibited where they could come in contact with energized parts or equipment or circuit conductors?	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
Is the use of metal ladders prohibited where the ladder or the person using the ladder could come in contact with energized parts or equipment, fixtures, or circuit conductors?	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
Are all disconnecting switches and circuit breakers labeled to indicate their use or equipment served?	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
Are all disconnecting switches and circuit breakers labeled to indicate their use or equipment served?	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
Are disconnecting means always opened before fuses are replaced?	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
Do all interior wiring systems include provisions for grounding metal parts of electrical raceways, equipment and enclosures?	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
Are all electrical raceways and enclosures securely fastened in place?	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
Are all energized parts of electrical circuits and equipment guarded against accidental contact by approved cabinets or enclosures?	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
Is sufficient access and working space provided and maintained around all electrical equipment to permit ready and safe operations and maintenance?	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
Are all unused openings (including conduit knockouts) in electrical enclosures and fittings closed with appropriate covers, plugs or plates?	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
Are electrical enclosures such as switches, receptacles, junction boxes, etc., provided with tight-fitting covers, plugs or plates?	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
Are disconnecting switches for electrical motors in excess of two horsepower able to open the circuit when the motor is stalled without exploding? Switches must be horse-power rated equal or in excess of the motor rating.)	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	

Is low voltage protection provided in the control device of motors driving machines or equipment that could cause injury from inadvertent starting?	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
Is each motor located within sight of its controller or is the controller disconnecting means able to be locked open or is a separate disconnecting means installed in the circuit within sight of the motor?	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
Is the controller for each motor that exceeds two horsepower rated equal to or above the rating of the motor it serves?	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
Are employees who regularly work on or around energized electrical equipment or lines instructed in cardiopulmonary resuscitation (CPR)?	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
Are employees prohibited from working alone on energized lines or equipment over 600 volts?	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
NOISE					
Are there areas in the workplace or equipment being operated where continuous noise levels exceed 85 decibels?	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
Is there approved hearing protective equipment (noise attenuating devices) available to every employee working in noisy areas?	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
FUELING					
Are employees prohibited from fueling an internal combustion engine with a flammable liquid while the engine is running?	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
When spillage occurs during fueling operations, is the spilled fuel washed away completely, evaporated, or are other measures taken to control vapors before restarting the engine?	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
Are fuel tank caps replaced and secured before starting the engine?	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
Is smoking prohibited in the vicinity of fueling operations?	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
TRANSPORTING EMPLOYEES AND MATERIALS					
Do employees who operate vehicles (does not include agricultural tractors or other self-propelled implements of husbandry) on public roads have valid operator's licenses?	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
When seven or more employees are regularly transported in a van, bus or truck, is the operator's license appropriate for the class of vehicle being driven and are there enough seats?	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
Are vehicles used to transport employees equipped with lamps, brakes, horns, mirrors, windshields and turn signals, and are they in good repair?	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
Is a fully charged fire extinguisher, in good condition, with at least a 4 B:C rating maintained in each employee transport vehicle?	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	
Are employees prohibited from riding on top of any load that could shift, topple, or otherwise become unstable?	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	